

[www.rsbgroup.co.za](http://www.rsbgroup.co.za)

[info@rsbgroup.co.za](mailto:info@rsbgroup.co.za)

Tel: +27 11 761 6900/1/2/3

Cel: +27 71 606 6505

Fax: +27 11 762 6900/1

 [rsb.timber](https://www.facebook.com/rsb.timber)

Cnr Mclean & Pillans Streets  
Chamdor, Krugersdorp  
PO Box 1014, Randfontein, 1760

**Aesthetically Machined Timber**

# RSB

**DOWELS**

NOW MANUFACTURING!



SUPPLIERS OF:

pine mouldings, hardwood mouldings,  
pine laminated beams, saligna  
laminated beams, flooring & decking,  
hardwood work tops, pine shelving,  
doors & custom frames, architectural  
mouldings, i-beams



# RSB

[www.rsbgroup.co.za](http://www.rsbgroup.co.za)

[info@rsbgroup.co.za](mailto:info@rsbgroup.co.za)



[rsb.timber](https://www.facebook.com/rsb.timber)

# TABLE OF CONTENTS




## MOULDINGS

Stocked in Pine, Meranti & Saligna



## DOWELS

4mm to 70mm Timber Dowels



## P.A.R. (PLANED ALL ROUND)

Stocked in Pine & Meranti



## DOORS & CUSTOM DOOR FRAMES

Solid Meranti Frame & Ledge Doors



## WORKTOPS

Wide Range of Hardwoods



## SALIGNA LAMINATED BEAMS

Hardwood - Great For Outdoor Use:  
Decks & Pergolas.



## PINE LAMINATED BEAMS

Softwood - Preferred For Roofing &  
Mezzanine & Flooring Structures.



## TIMBER IJOISTS ©

Engineered IJoists Suitable For Roofs,  
Mezzanines & Flooring Structures.



## CUTTING BOARDS

Premium Edge-Grain  
Cutting Boards

# RSB

www.rsbgroupp.co.za

info@rsbgroupp.co.za

 rsb.timber

# DOWELS MOULDINGS



**QUADRANT**  
16mm, 32mm

**Typical Applications:**  
Corner finishing



**SKIRTING**  
50mm, 70mm, 100mm

**Typical Applications:**  
Finishing where floor meets wall



**HALF ROUND**  
19mm, 32mm

**Typical Applications:**  
Edging  
Covering joints



**CORNER FILLET**  
25mm, 32mm

**Typical Applications:**  
Concrete form work



**SCOTIA**  
19mm, 32mm

**Typical Applications:**  
Corner fillers



**COVER STRIP**  
32mm, 44mm

**Typical Applications:**  
Hiding joints  
Ceilings



**CORNICE**  
70mm

**Typical Applications:**  
Finishing where wall meets ceiling



**LIP BEADING & GLAZING BEAD**  
19mm, 32mm


**Typical Applications:**  
Board edging  
Window glazing

## COMMERCIAL MOULDINGS

Description	Pcs/Bdl	HARDWOOD	PINE
		Size	Size
44mm Cover Strips	20	44 x 8	44 x 8
32mm Cover Strips	20	32 x 8	32 x 8
19mm Scotia	20	19 x 19	19 x 19
32mm Scotia	10	30 x 30	32 x 32
100mm Skirting	10	94 x 13	96 x 16
70mm Skirting	10	68 x 13	68 x 16
50mm Skirting	10	44 x 13	44 x 16
16mm Quadrant	20	14 x 14	
19mm Quadrant	20	19 x 19	18 x 18
32mm Quadrant	10	30 x 30	32 x 32
19mm Half Round	20	19 x 10	19 x 10
32mm Half Round	20	32 x 10	32 x 10
70mm Cornice	10	68 x 14	68 x 16
19mm Lip Beading	20	23 x 12	19 x 12
32mm Lip Beading	10	30 x 14	30 x 14
44mm Cleats	10	44 x 16	44 x 20
Ceiling E/M	10/20	63 x 12	62 x 12
Tongue & Groove Flooring	10	89 x 20	102 x 20
25mm Corner Fillets	20	19 x 19 x 25	
32mm Corner Fillets	20	23 x 23 x 32	
44mm Weather Bar	5	44 x 16	
70mm Weather Bars	5	65 x 20	
Glazing Bead	50	10 x 8	

## DECKING & FLOORING

Description	Pcs	HARDWOOD	PINE (102x20)
90mm Decking	10		
89mm Flooring	10		



## REVERSIBLE NON-SLIP MOULD

Ask About Our EasyClip Rebate.



**EasyClip™**  
HIDDEN DECK FASTENERS



# DOWELS

## STOCKED IN SALIGNA

STANDARD DIAMETERS (mm)

4mm, 5mm, 6mm, 8mm, 10mm, 13mm,  
16mm, 19mm, 22mm, 25mm

STANDARD LENGTHS (mm)

900mm & 1800mm

CONTACT: [dowel@rsbgroupp.co.za](mailto:dowel@rsbgroupp.co.za)



WE ARE:  
**PRETORIA**  
DOWEL MANUFACTURERS

# RSB

www.rsbgroup.co.za

info@rsbgroup.co.za

 rsb.timber

# ARCHITECTURAL MOULDINGS

DADO RAILS



\*D77    D64    D68    D66    \*D63

ARCHITRAVES



A100

CORNICE



\*C58

SKIRTING




\*S87    \*S89    S93    S83    S85

## P.A.R. (PLANNED ALL ROUND)

\*\* All Above Mouldings will be Bulked Machined and Stocked.  
\* Available in Pine & Meranti; Other Species Available Upon Request.  
\* Lengths Random: Min 1.8m; Min Order: 30m - Allow 10% Overrun.



pine



meranti

<b>available in:</b>	<b>10mm</b>	<b>20mm</b>	<b>32mm</b>	<b>44mm</b>
	32 x 10	20 x 20	32 x 32	44 x 44
	44 x 10	32 x 20	44 x 32	70 x 44
		44 x 20	70 x 32	96 x 44
		70 x 20	96 x 32	140 x 44
		96 x 20	140 x 32	220 x 44
		140 x 20	220 x 32	
		220 x 20		

Only Available in 1.8m, 2.4m, 3.0m

# RSB

www.rsbgroup.co.za

info@rsbgroup.co.za

 rsb.timber

# CUSTOM JOINERY



**FRAME & LEDGE**  
OPEN BACK

**FRAME & LEDGE**  
FLUSH BACK

**SINGLE**  
PANEL

**TWO**  
PANEL

**2 PANEL**  
VERTICAL

**6; 8; 10**  
PANEL

**HORIZONTAL**  
SLATTED



FRONT

BACK

FRONT

BACK

FRNT & BCK

FRNT & BCK

FRNT & BCK

FRNT & BCK

FRNT & BCK

 SOLID

 SOLID

 SOLID

 SOLID

 SOLID

 SOLID


 SOLID

 ENGINEERED

Custom Sizes Available Upon Request

We Make:  
CUSTOM  
DOORS

Design  
Yours.



 SOLID

**FLY SCREEN**  
32mm



FRNT & BCK

 SOLID

**SLATTED**  
PANE



FRNT & BCK

 SOLID

**CAPE DUTCHL**  
2 PANEL




FRNT & BCK

 SOLID

## DOOR FRAME PROFILES



**JAMB**  
140X44



**JAMB**  
106X44



**STANDARD**  
82X53



**ECO**  
82X44



**BUDGET**  
68X44



**SIDELIGHT**  
BUDGET PROFILE

# RSB

www.rsbgroup.co.za

info@rsbgroup.co.za

 rsb.timber

# SHELVING WORKTOPS

## WORKTOPS

WIDTH	THICKNESS	LENGTH	SALIGNA	MERANTI	PINE
200mm - 900mm	32mm - 75mm	300mm Increments			

\*Other Species Available Upon Request



## ASK ABOUT: OUR RUSTIC OAK WORKTOP SPECIALS

## SHELVING

WIDTHS	LENGTHS	PINE	SALIGNA
305mm; 380mm; 455mm; 533mm; 610mm	1,8m; 2,4m; 3,0m		



## LOOKING OUT FOR OUR FUTURE

### WE BUY FSC CERTIFIED TIMBER

Complies with the Reforestation Act

### OUR SAWDUST GOES BACK INTO THE LAND

Livestock & Farming.

### TIMBER IS A NATURAL PRODUCT!

Tree plantations provide jobs for many and working forests give us clean air, clean water as well as wildlife habitat.

# RSB

www.rsbgroup.co.za

info@rsbgroup.co.za

 rsb.timber



SANS 1460

# LAMINATED BEAMS

## NOW USING CLEAR GLUE!

All dimensions in mm.  
All lengths in 300mm increments.



THICKNESS

38
50
63
75
89
114
140
165




OUR STANDARD GRADES:  
GRADE 5 (PINE) & GRADE 7 (SALIGNA)

WIDTH

67
89
111
133
156
178
200
222
244
267
289
311
333
356
378
400
422
444
467
489
511
533
556
578
600
622
644
667
689
711
733
756
778
800
822
844
867
889
911
933
956
978
1000

SALIGNA GLUELAM



WIDTH

64
99
132
165
198
231
264
297
330
363
396
429
462
495
528
561
594
627
660
695

SA PINE LAMSTOCK



THICKNESS

27
40
65
97
135
165

GRADE 5

\* higher beam grades (6+ & 8+) to be arranged prior to placing the order



www.rsbgroup.co.za

info@rsbgroup.co.za

rsb.timber

# TIMBER I-JOISTS

## A CHEAPER, LIGHTER, STRONGER STRUCTURAL ALTERNATIVE



roofing  
flooring  
mezzanines

**ECO**Structural  
PRODUCTS

### Assumptions for Roof Design:

Roof pitch:	25 degs tiles, 10 degs metal sheeting
Live load: (statutory)	0.3 to 0.5 kN/m <sup>2</sup> , depending on area supported
Concrete Roof Tiles:	0.54kN/m <sup>2</sup>
Metal sheeting 0.5mm:	0.10kN/m <sup>2</sup>
Ceiling load: 6.4mm gypsum	0.14kN/m <sup>2</sup>
Allowable deflection ratio	span/250



Standard battens/purlins:	Recommended Spacing
Concrete roof tiles:	38 x 38mm battens 760mm
Metal sheeting:	50 x 76mm purlins on edge 1250mm

Roofs		I-Joist span m						
Roof Types	Joist c/c mm	ES1p	ES2p	ES3p	ES4p	ES5p	ES6p	ES7p
Concrete tiles	760	4,80	5,30	6,10	7,10	8,40	10,30	11,40
Metal sheeting	1250	4,90	5,50	6,30	7,40	8,80	11,10	12,50

### Assumptions for Floor Design (Pine Flanged I - Joists)

Other loads not allowed for:  
Aircon ducts or units, water sprinkler systems, solar water geysers


Live load: (statutory)	1.5kN/m <sup>2</sup>	
Floor dead load:	0.126kN/m <sup>2</sup>	0,126
Ceiling load: 6.4mm gypsum	0.14kN/m <sup>2</sup>	
Allowable deflection ratio	span/400	

Spacing:

488mm-Module of Sub-Floor board length 2440mm

Floors		I-Joist Span m						
	Joist c/c mm	ES1p	ES2p	ES3p	ES4p	ES5p	ES6p	ES7p
Domestic	488	4,20	4,70	5,30	6,20	7,20	8,90	9,80

ES1P 70X210    ES2P 70X240    ES3P 70X281    ES4P 100X281    ES5P 100X342    ES6P 100X444    ES7P 140X444



SAMPLE: ES4p



## PREMIUM HAND-CRAFTED **END-GRAIN** CUTTING BOARDS

### CHEESE BOARD

Species : Pine  
Dimension : 300 x 300 x 45



**R 194.90**

### CHEESE BOARD

Species : Grandis  
Dimension : 300 x 300 x 45



**R 319.90**

### THE STANDARD

Species : Pine  
Dimension : 450 x 350 x 45



**R 449.90**

### THE STANDARD

Species : Grandis  
Dimension : 450 x 350 x 45



**R 509.90**

### PRESTIGE

Species : Grandis  
Dimension : 480 x 300 x 45



**R 559.90**

### BREAD BOARD

Species : Grandis  
Dimension : 400 x 250 x 45



**R 321.00**

### ALL PREMIUM BOARDS COME STANDARD WITH THE FOLLOWING:

- RUBBERISED FEET w/ STAINLESS STEEL SCREWS
- HANDLE
- 1 COAT OF MINERAL OIL
- 1 COAT BEES WAX CONDITIONER
- PACKAGED w/ TREATMENT MANUAL

\*\*PREMIUM BOARDS ARE ASSEMBLED KEEPING IN MIND THE AESTHETIC GRAIN PATTERN  
BOARDS THAT DO NOT MEET THIS GRADE ARE CLASSED AS b-GRADE  
b-GRADE BOARDS -20% (PREMIUM PRICES)

## HAND-CRAFTED EDGE-GRAIN **BUTCHER BLOCKS**

### CARVING BOARD

Species : Grandis  
Dimension : 450 x 350 x 32



**R 175.00**

### BUTCHER BLOCK

Species : Grandis  
Dimension : 600 x 600 x 63



**R 500.00**

### BUTCHER BLOCK

Species : Grandis  
Dimension : 900 x 600 x 63



**R 765.00**

W W W  
**THE CUTTING BOARD CO**  
**.CO.ZA**

\*PRICES INCLUDE VAT  
DISCOUNTS APPLICABLE ON BULK ORDERS  
Prices may change without prior notice

## HAND-CRAFTED **EDGE-GRAIN** CUTTING BOARDS

### A4

Species : Grandis  
Dimension : 350 x 220 x 16



**R 69.90**

### SQUARE PADDLE

Species : Grandis  
Dimension : 400 x 250 x 18



**R 79.90**

### APPLE BOARD

Species : Pine  
Dimension : 450 x 350 x 18



**R 89.90**

### MIXED SPECIES

Species : Mixed species  
Dimension : 350 x 200 x 18



**R 139.99**

### SERVING PADDLE

Species : Grandis  
Dimension : 500 x 200 x 16



**R 70.00**

### SERVING PADDLE

Species : Grandis  
Dimension : 300 x 150 x 16



**R 40.00**

### SHAPED CHOPPING BOARD

Species : Grandis  
Dimension : 350 x 220 x 16



**R 50.00**

### SHAPED CHOPPING BOARD

Species : Grandis  
Dimension : 350 x 220 x 16  
(ENGRAVED)



**R 120.00**

### VEGGIE BOARD

Species : Grandis  
Dimension : 350 x 220 x 16



**R 45.00**

### UTILITY BOARD

Species : Grandis  
Dimension : 300 x 300 x 32



**R 140.00**

W W W  
**THE CUTTING BOARD CO.**  
**.CO.ZA**

\*PRICES INCLUDE VAT  
DISCOUNTS APPLICABLE ON  
BULK ORDERS  
Prices may change without prior notice

# WHAT'S CUTTING?